Brighter moments on a darker night ...





Spreading Brightness Globally









- 296, Mahuva-Bhavnagar National Highway, Borda-364130, Dist.: Bhavnagar (Gujarat) INDIA
- sales@mashafexim.com
- www.mashafexim.com



Spreading Brightness Globally



LID







About Us

An innovation with a technology centric approach in making the world experience the richness of lighting, blending superior sensibilities with deep technological and electronic expertise, Mashaf Exim gives best and quality lighting solutions to the user.

We understand the concept of quality lighting and all the factors that are required for adequate lighting. We are focused on delivering LED lights that are of superior quality, along with the promotion of renewable energy propagation and execution in India.









OUR MISSION

To be a company with a global presence which develops intelligent, energy saving LED solutions that offer market leading commercial and environmental benefits to our customers.

OUR VISSION

Mashaf EXIM LED Lights aims to be the preferred value-added LED lighting provider, known for its high-quality advanced innovative solutions.

OUR VALLUE

Our manufacturing team is focused on innovative technology, quality standards and monetary benefits. Our advanced, energy efficient and long life formula helps us manufacture world class product.



LED BULB

BASE Standard B22/E27 Base Bulb

VOLTAGE : AC 180-300V 50Hz

MATERIAL : Polycarbonate/Aluminium

LUMEN EFFICACY: Upto 140Lm/W

: 15 Years RATED LIFE

ENERGY SAVING: Yes

COOL DAYLIGHT : 6500-7500K

LIGHT COLOUR White

SUITABLE FOR Home, Office, Shop





T BULB

BASE Standard B22/E27 Base Bulb

VOLTAGE : AC 180-300V 50Hz

MATERIAL : Polycarbonate LUMEN EFFICACY: Upto 140Lm/W

RATED LIFE : 15 Years

ENERGY SAVING Yes

6500-7500K COOL DAYLIGHT

LIGHT COLOUR White

DESIGN : Flexible Design SUITABLE FOR Home, Office, Shop



INVERTER BULB

3W 5W

BASE Standard B22/E27 Base Bulb

VOLTAGE AC 180-300V 50Hz

MATERIAL : Polycarbonate LUMEN EFFICACY : Upto 140Lm/W

ENERGY SAVING Yes

COOL DAYLIGHT 6500-7500K POWER SOURCE Rechargeable CHARGING TIME : Upto 10 Hour POWER BACKUP : Upto 4 Hour

LIGHT COLOUR White

SUITABLE FOR : Home, Office, Shop

HAMMER BULB

BASE : Standard B22/E27 Base Bulb

VOLTAGE : AC 180-300V 50Hz MATERIAL : Plastic/Polycarbonate

LUMEN EFFICACY: Upto 140Lm/W

RATED LIFE : 15 Years

ENERGY SAVING : Yes LIGHT COLOUR : White

SUITABLE FOR : Home, Office, Shop





WATTAGE 7W 9W 12W

TUBE LIGHT

MATERIAL Aluminium & Plastic

COLOUR Cool White **TYPES** LED **ENERGY SAVING** Yes

AC 180-300V 50Hz **VOLTAGE** LUMEN EFFICACY Upto 100Lm/W COOL DAYLIGHT 6000-6500K DESIGN Batten

SUITABLE FOR Bedroom, Kitchen, Lobby etc.

SHAPE Linear

CONCEALED LIGHT

Plastic/Polycarbonate **MATERIAL**

COLOUR Warm White

TYPES

ENERGY SAVING Upto 80lm/w 6000-6500K COOL DAYLIGHT SHAPE Round

RATED LIFE 50000 Hours VOLTAGE AC 180-300V 50Hz

POWER FACTOR 0.9PF BATTERY REQUIRED No **ENERGY SAVING** Yes DESIGN Batten

SUITABLE FOR Shops, Living Rooms,

Dining Room, Kitchen, etc.





COLOUR BULB

BASE B22/E27/2 PIN VOLTAGE 220-240V AC 50Hz

MATERIAL Plastic

Red, Green, Blue, Yellow, LIGHT COLOUR

Orange, Pink, Sky Blue

>0.90PF POWER FACTOR

SHAPE Round COOL DAYLIGHT 6000-6500K

LUMEN EFFICACY 100Lm/W RATED LIFE 50000 Hours

SUITABLE FOR Hotels, Shopping Mall, Toilets Restaurant

STREET LIGHT

MATERIAL Aluminium COLOUR : Warm White MOUNTED TYPE: TYPE: Fixture

TYPES : LED

LUMEN EFFICACY: Upto 100lm/w COOL DAYLIGHT : 6000-6500K SHAPE Standard RATED LIFE : 50000 Hours

VOLTAGE : AC 180-300V 50Hz

POWER FACTOR : 0.9PF ENERGY SAVING : Yes ADJUSTABLE : No

PROTECTION : IP65. IP66

SUITABLE FOR : Roadside, Home, Garden, Industry, yard, Street, etc.

PANEL LIGHT

MATERIAL Aluminium and Plastic

COLOUR Warm White

TYPES LED LUMEN EFFICACY Upto 80lm/w

6000-6500K COOL DAYLIGHT SHAPE Round/Square 50000 Hours RATED LIFE

POWER FACTOR 0.9PF BATTERY REQUIRED No **ENERGY SAVING** Yes

VOLTAGE

DESIGN

TYPES

SUITABLE FOR Home, Office, Shops, Restaurant, Showrooms, etc.

Batten

AC 180-300V 50Hz

FLOOD LIGHT

MATERIAL Aluminium COLOUR Warm White MOUNTED TYPE Fixture

LUMEN EFFICACY Upto 100lm/w COOL DAYLIGHT 6000-6500K SHAPE Standard RATED LIFE 50000 Hours

VOLTAGE AC 180-300V 50Hz

LED

POWER FACTOR 0.9PF BATTERY REQUIRED No **ENERGY SAVING** Yes IP65, IP66 PROTECTION

SUITABLE FOR

Parkings, Underpass, Garages, Public areas, Building Facades, Construction areas etc.





